Polymer Bulletin

Editors

Prof. H.-J. Cantow
Makromolekulare Chemie
Universität Freiburg
Stefan-Meier-Straße 31
D-7800 Freiburg, FRG

Prof. J.P. Kennedy
Institute of Polymer Science
The University of Akron
Akron, OH 44325, USA

Prof. T. Saegusa
Dept. of Synthetic Chemistry
Kyoto University
Kyoto, 606 Japan

Editorial Board

Prof. H. Batzer
Ciba-Geigy AG, P.O.B. 4000
CH-4002 Basel 7, Switzerland

Prof. S. Cesca
Enichimica S.p.A.
R & D Central Direction
Via Medici Del Vascello, 26
I-20138 Milano, Italy

Prof. K. Dušek
Inst. of Macromolecular Chemistry
Czechoslovak Academy of Sciences
Petřiny
CS-16206 Prague 6, CSSR

Prof. C.D. Eisenbach
Polymer Institut
Universität Karlsruhe
D-7500 Karlsruhe, FRG

Prof. H. Finkelmann
Makromolekulare Chemie
Universität Freiburg
Stefan-Meier-Str. 31
D-7800 Freiburg, FRG

Prof. H.K. Hall, Jr.
Dept. of Chemistry
The University of Arizona
Tucson, AZ 85721, USA

Prof. M.L. Hallensleben
Makromolekulare Chemie
Universität Hannover
Am Kleinen Felde 30
D-3000 Hannover 1, FRG

Prof. H.H. Kausch
Lab. des Polymères, EPFL
32, ch. de Bellerive
CH-1007 Lausanne
Switzerland

Prof. T. Kelen
Central Res. Inst. of Chemistry
Hungarian Academy of Sciences
P.O.B. 17
H-1525 Budapest, Hungary

Prof. M. Kryszewski
Centre of Molecular and
Macromolecular Studies
Polish Academy of Sciences
Boczna 5,
PL-90-362 Lódź, Poland

Prof. A. Ledwith
Donnan Laboratories
The University of Liverpool
Grove Street, P.O.B. 147
Liverpool L69 3BX, England

Prof. R.W. Lenz
Chemical Eng. Dept.
Goessmann Lab.
University of Massachusetts
Amherst, MA 01003, USA

Prof. J.E. McGrath
Dept. of Chemistry
Virginia Polytechnic Inst.
& State University
Blacksburg, VA 24061, USA

Prof. E. Maréchal
Lab. Synthèse Macromoléculaire
Univ. Pierre et Marie Curie
12, Rue Cuvier
F-75005 Paris, France

Prof. J. Meißner
ETH, Maschinenlabor J 19
Sonneggstr. 3
CH-8092 Zürich, Switzerland

Prof. A. Nakajima
Dept. of Polymer Chemistry
Kyoto University
Kyoto, 606 Japan

Prof. E.F. Oleinik
Inst. of Chemical Physics
USSR Academy of Sciences
Su-117334 Moscow, USSR

Dr. G. Henrici-Olivé, Dr. S. Olivé
Chemical Department
University of California
San Diego, La Jolla, CA 92037, USA

Prof. V. Percec
Department of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106, USA

Prof. N.A. Platé
Institute Petrochemical Synthesis
Academy of Sciences
Leninsky Prospect 29
Moscow, USSR

Prof. C.I. Simionescu
Acad. Republ. Social. România
Cabinetul Vizepreşedintelui
Calea Victoriei nr. 125
Bucureşti, România

S. Sivaram, Ph. D.
Indian Petrochemicals Corp.
Dist. Baroda-391346
Gujarat, India

D.H. Solomon, Ph. D.
CSIRO, Div. of Applied Organic
Chemistry, P.O.B. 4331
Melbourne, VIC 3001, Australia

Prof. H. Tadokoro
Dept. Macromolecular Science
Osaka University
Toyonaka, Osaka, 560 Japan

Prof. M. Takayanagi
Dept. of Applied Chemistry
Kyushu University
Fukuoka, 812 Japan

Prof. I. Uematsu
Dept. of Polymer Chemistry
Tokyo Institute of Technology
Ookayama, Meguro-Ku
Tokyo, 152 Japan

Prof. O. Vogl
Herman F. Mark Professor of
Polymer Science
Polytechnic Institute of New York
333 Jay Street
Brooklyn, NY 11201, USA

Prof. C. Wippler
Université Louis Pasteur,
Centre de Recherches
sur les Macromolécules (CNRS)
6, Rue Boussingault
F-67083 Strasbourg Cédex
France

Springer International Volume 16 1986

Polymer Bulletin

Aims and Scope

Polymer Bulletin provides rapid publication of significant advances in polymer science, including biopolymers. Chemistry, physical chemistry and physics are included as well as materials science.

To permit direct reproduction by a photo-mechanical process, all manuscripts must be prepared and submitted in accordance with the instructions on the back cover of each issue.

Authors will receive 30 reprints free of change.

The articles will be free from restrictions imposed by purely archival journals. Results of current research will be presented as brief reports to provide information useful to all those concerned with Polymers and Biopolymers.

Descriptions of new methods, procedures or techniques should be sufficiently detailed so as to permit their use in other laboratories.

Review articles and abstracts of papers to be published elsewhere are not suitable for inclusion in this Bulletin.

The editors hope that this Bulletin will provide a meeting ground for researchers who daily encounter problems related to Polymers and Biopolymers and who welcome opportunities to share their discoveries in a most expeditious manner.

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0170-0839, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations: Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors of German nationality and those resident in the Federal Republic of Germany or Berlin (West), as well as citizens of Austria, Switzerland and member countries of the European Community, may apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Subscription Information

Volumes 15 + 16 (6 issues each) will appear in 1986.

North America. Annual subscription rate: Approx. US $ 185.00, single issue price approx. US $ 18.00. including carriage charges. Subscriptions are entered with prepayment only. Orders should be addressed to: Springer-Verlag New York Inc., Service Center Secaucus, 44 Hartz Way, Secaucus, NJ 07094, USA. Telephone (201) 348-4033, Telex 023125994.

All Other Countries. Annual subscription rate: DM 456.00, plus carriage charges. Volume price: DM 228.00, single issue price: DM 45.60, plus carriage charges. Airmail delivery on request only. Carriage charges for SAL (Surface Airmair Lifted) to Japan, India, Australia and New Zealand are available on request. Orders can either be placed with your bookdealer or sent directly to: Springer-Verlag, Heidelberger Platz 3, D-1000 Berlin 33. Tel. 030/8207-1, Telex 0183319.

Changes of Address. Allow six weeks for all changes to become effective. All communications should include both old and new addresses (with Postal Codes) and should be accompanied by a mailing label from a recent issue.

Back volumes: Prices are available on request.

Microform. Microform editions are available from: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106, USA

Production
Journal Production Department I, Springer-Verlag.
Postfach 10 52 80, D-6900 Heidelberg 1,
Federal Republic of Germany,
Tel. 06221/487-433, Telex 0461723

Responsible for Advertisements
E. Lückermann
Heidelberger Platz 3, D-1000 Berlin 33
Tel. (030) 8207-1, Telex 01 85411

Printed in Germany by Beltz Offsetdruck, Hemsbach/Bergstraße © Springer-Verlag Berlin Heidelberg 1986
Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33

Author Index Volume 16 (1986)

Aerts L, see Maes D, et al. 363
Agnew S, see Jorgensen B, et al. 263
Ainad-Tabet D, see Monthéard J-P, et al. 59
Albrecht W, see Meier H, et al. 75
Angne U, see Rivas BL, et al. 305
Arakawa F, see Ito K, et al. 337, 345
Asami R, Takaki M, Moriyama Y: Polymerization of macromers. 2. Group transfer polymerization of methacrylate-terminated polystyrene macromer 125
Bacle BMF, Bender CO, Bulpin AP, Levesque GJ: Selective cationic ring-opening polymerization of 6-thiatricyclo[3.2.2.0^{2,4}]non-8-ene 401
Banerje M, Biswas M, Maiti MM: Solubility characteristics of poly(N-vinylcarbazole) prepared by Co(II) loaded 13X molecular sieve 473
Barabás K, see Iring M, et al. 159
Barson AC, Bevington JC, Huckerby TN: Comparisons of the reactivities of methacrylonitrile and acrylonitrile and of the corresponding polymer radicals 209
Bartulín J, see Rivas BL, et al. 299
Bartulín J, Zunza H, Parra ML, Rivas BL: Chelating polymers 293
Beddows CG, Morris RA, Guthrie JT: The separation of proteins on Cibacron Blue F3GA treated nylon and poly(ethylene)graft copolymers 131
Behari K, see Gupta KC 109
Bender CO, see Bacle BMF, et al. 401
Berg-Feld MC, Mano EB, Klesper E: Statistics of the formation of ester on syndiotactic methacrylic anhydride-methacrylic acid copolymers 487
Bertorello HE, see Briñón MC, et al. 27
Bertorello HE, see Strumia MC 35
Bertorello MM de, see Briñón MC, et al. 27
Bevan L, Döll W, Könczöl L: Stress analysis of crazes at moving crack tips 545
Bevington JC, see Barson CA, et al. 209
Bhattacharya SK, Misra A, Stein RS, Lenz RW, Hahn PE: Kinetics of phase transition of a liquid crystalline polymer 465
Biswas M, see Banerjee M, et al. 473
Bledzki A, Braun D: Oligomers of α-methylstyrene by initiation with tetraphenylethanes 19
Boinon B, see Monthéard J-P, et al. 59
Bourguignon J, see Tintillier P, et al. 331
Boutevin B, Plêtrasanta Y, Laroze A, Rousseau A: Synthesis and polymerization of fluorinated, chlorinated and deuterated vinyl carbonates 391
Braun D, see Bledzki A 19
Brinke G ten, see Pennings AJ, et al. 167
Briñón MC, Bertorello MM de, Bertorello HE: Characterization of the organolithium intermediates in polymerization reaction of 4,4'-difluorodiphenyl sulfone 27
Brown A, Fujimori K: A method for the determination of maleic anhydride content in copolymers 441
Bulpin AP, see Bacle BMF, et al. 401
Burillo G, Ogawa T: Studies on diacetylenic vinyl compounds. I. Phenyl-4'-vinylphenyl butadiyne 257
Catalán RE, see Rivas BL, et al. 299, 305
Chen Y-Y, Hall HK, Jr: Polycondensation of squaric acid with N-alkylcarbazoles 419
Chalych AYe, Popova YeD, Popov AN, Kheiker DM: Transformations in the cellulose nitrate structure in the process of solvent vapor sorption 215
Chan RJH, see Oku J, et al. 481
Cheng HN: Determination of polyethylene branching through computerized ^{13}C NMR analysis 445
Chiriac CI: Aromatic polyureas and polythioureas by a new polycondensation reaction using ethylene chlorophosphite as reagent 143
Chow TY, see Kobayashi S, et al. 269
Comăniță E, see Simionescu CI, et al. 235
Conlon DA, see Crivello JV, et al. 95
Cowie JMG, Wu HH: Thermotropic liquid crystalline main-chain polymers containing cyclooctyl units 327
Crivello JV, Lee JL: The synthesis and characterization of polymer-bound diaryliodonium salts and their use in photo and thermally initiated cationic polymerization 243
Crivello JV, Lee JL, Conlon DA: Cyclic silyl pinacole ethers. A new class of multifunctional free radical initiators 95
Decobert G, see Guglielminetty JM, et al. 411
Döll W, see Bevan L, et al. 545
Dondos A, Pierri E: A relation between the incompatibility and the dipole moment of polymers 567
Doornkamp AT, see Postema AR, et al. 1
Jrută I, see Simionescu CI, et al. 235
Dubois JC, see Guglielminetty JM, et al. 411
Dumitriu M, see Simionescu CI, et al. 319
Dumitriu S, see Simionescu CI, et al. 319
Dupas G, see Tintillier P, et al. 331
Enoki T, see Sawamoto M, et al. 117
Epple U, Schneider HA, Percec V: Copolymerization. Methylacrylate with electron-acceptor (ß-hydroxyethyl)-3,5-dinitrobenzoyl acrylate and n-butylacrylate with electron-donor N-(2-hydroxyethyl) carbazolyl acrylate 137
Farona MF, see Gadkari A 229
Feast WJ, see Furlani A, et al. 311
Florián Š, see Lath D, et al. 453
Fodor Zs, see Iring M, et al. 159
Fradet A, see Judas D, et al. 13
Froelich D, see Pixa R, et al. 381
Fujimori K, see Brown A 441
Fukutomi T, see Ishikawa S, et al. 223
Furlani A, Napoletano C, Russo MV, Feast WJ: Stereoregular polyphenylacetylene 311
Gadkari A, Farona MF: Synthesis of an EPDM graft terpolymer 229
Galembeck F, see Gomes de Barros G 499
Gay T, see Pixa R, et al. 381
Gerard JF, Hamelin H, Merle G, Montel C, Perret P, Pillot C: Viscoelastic investigation of interfacial damage of glass and carbon fibers composite materials 559
Gomes de Barros G, Galembeck F: Sorption and thermal polymerization of acrylic acid on

polyethylene and on polyethylene-iron oxide composite. A comparison between grafting by radiation and thermal methods 499
Grigoriu GE, see Marcu M, et al. 103
Grisoni B, see Pixa R, et al. 381
Groeninckx G, see Maes D, et al. 363
Guglielminetti JM, Decobert G, Dubois JC: Chiral α substituted acrylates side-chain polymers with a cinnamate core 411
Gupta KC, Behari K: Potassium persulphate-malonic acid redox pair initiated polymerization of methacrylamide 109
Guthrie JT, see Beddows CG, et al. 181
Hahn PE, see Bhattacharya SK, et al. 465
Hall HK, Jr, see Chen Y-Y 419
Hall HK, Jr, see Oku J, et al. 481
Hall HK, Jr, Righettini RF: New copolymers from electrophilic trisubstituted ethylenes and electron-rich vinyl comonomers 405
Hamelin H, see Gerard JF, et al. 559
Hanack M, see Meier H, et al. 75
Hasegawa J, see Kitano H, et al. 89
Heinemann K, see Suess M, et al. 371
Hernandez K, see Policastro PP 43
Higashimura T, see Sawamoto M, et al. 117
Hooft RJ van der, see Pennings AJ, et al. 167
Hoogsteen W, see Pennings AJ, et al. 167
Huckerby TN, see Barson CA, et al. 209
Hughes OR, see Oku J, et al. 481
Hyun SH, Nishide H, Tsuchida E: Oxidative polymerization of phenols having trimethylsilyl groups 395
Inagaki N, Tsutsumi D: Plasma-polymerization of F-propene/acetylene and F-propene/ethylene mixtures and their gas permeability 131
Iring M, Fodor Zs, Barabás K, Kelen T, Tüdős F: The effect of reaction conditions on LDPE oxidation 159
Ishikawa S, Ishizu K, Fukutomi T: Synthesis and morphology of poly(styrene-g-[propylene oxide-b-2-methyl-2-oxazoline]) 223
Ishizu K, see Ishikawa S, et al. 223
Ito K, Yokoyama S, Arakawa F: Poly(ethylene oxide) macromonomers. 5. Dodecyloxy poly(ethylene glycol) methacrylate as an amphiphilic macromonomer for dispersion polymerization 345
Ito K, Yokoyama S, Arakawa F, Yukawa Y, Iwashita T, Yamasaki Y: Poly(ethylene oxide) macromonomers. 4. Effects of the α- and ω-terminal groups on the copolymerization reactivity 337
Iwai S, see Kitano H, et al. 89
Iwashita T, see Ito K, et al. 337
Jakeš J, see Stepánek P, et al. 67
Jian Y, see Tsubokawa N, et al. 249
Jindai K, see Oikawa E 351
Jorgensen B, Liepins R, Agnew S: Canal polymerization. 1. 1,3-Butadiyne in perhydrotriphenylene 263
Judas D, Fradet A, Maréchal E: Thickening of polyester resins with MgO: Structural study of a model magnesium carboxylate 13
Kammer HW, see Pigłowski J, et al. 493
Kammer HW, see Suess M, et al. 371
Karasz FE, see Leung L, et al. 457
Katsaros JD, Malone MF, Winter HH: Extensional flow induced miscibility in a polymer blend 83
Kawabata H, see Kobayashi S, et al. 269
Kelen T, see Iring M, et al. 159
Kelen T, see Zsuga M 285
Kennedy JP, see Mishra MK, et al. 47
Kheiker DM, see Chalych AYe, et al. 215
Kinanen A, see Levon K, et al. 433
Kitano H, Hasegawa J, Iwai S, Okubo T: Conductance stopped-flow study on biological complexations. Hapten-antibody and enzyme-inhibitor systems 89
Klesper E, see Berg-Feld MC, et al. 487
Klier J, Peppas NA: Anomalous penetrant transport in glassy polymers. III. Use of Raman spectroscopy to study penetrant transport 359
Kmínek I, see Přádný M, et al. 195
Kobayashi S, Chow TY, Kawabata H, Saegusa T: Ring-opening copolymerization of 2,4-bisphenyl-1,3,2,4-dioxadiphosphetane-2,4-dioxide with oxetane via zwitterion intermediates 269
Koch J, see Meier H, et al. 75
Koňák Č, see Štěpánek P, et al. 67
Kops J, Spanggaard H: Liquid crystal polyethers obtained from endo- and exo-2-methyl-7-oxabicyclo[2.2.1]heptane 504
Kressler J, see Pigłowski J, et al. 493
Kressler J, see Suess M, et al. 371
Labadie JW, MacDonald SA, Willson CG: Poly(alkylnylstannanes). A new class of main chain organotin polymers 427
Laroze A, see Boutevin B, et al. 391
Lath D, Sedlák K, Florián Š, Lathová E: Unperturbed dimensions of poly(cyclohexyl methacrylate) and their temperature coefficient 453
Lathová E, see Lath D, et al. 453
Lăzărescu S, see Marcu M, et al. 103
Leca M: Influence of denaturing agents on macromolecular coil dimensions of polyacrylamides in diluted aqueous solutions 537
Leclerc M, Prud'homme RE: Kinetics of isomerization and doping of poly(t-butyl-acetylene) 7
Lee JL, see Crivello JV 243
Lee JL, see Crivello JV, et al. 95
Lenz RW, see Bhattacharya SK, et al. 465
Leung L, Williams DJ, Karasz FE, MacKnight WJ: Miscible blends of aromatic polybenzimidazoles and aromatic polyimides 457
Levesque GJ, see Bacle BMF, et al. 401
Levon K, Kinanen A, Lindberg JJ: Electrically conducting compound synthesized from lignin and sulfur 433
Liepins R, see Jorgensen B, et al. 263
Lindberg JJ, see Levon K, et al. 433
Linster JJ, Meissner J: Melt elongation and structure of linear polyethylene (HDPE) 187
Lucht LM, see Peppas NA 375
MacDonald SA, see Labadie JW, et al. 427
MacKnight WJ, see Leung L, et al. 457
Madec PJ, see Rao BS, et al. 153
Maes D, Groeninckx G, Ravenstijn J, Aerts L: A molecular model for structural changes during shear yielding and crazing in amorphous polymers 363
Maiti MM, see Banerjee M, et al. 473
Malone MF, see Katsaros JD, et al. 83
Mandelkern L, Peacock AJ: The structure of linear polyethylene crystals formed in dilute solution 529
Mano EB, see Berg-Feld MC, et al. 487
Marcu M, Lăzărescu S, Grigoriu GE: Coodination polymers. V. Polycondensation of Cu, Ni, Co and Mn rezorcylaldehyde-o-phenylenediamine with terephthalic and isophthalic dichloride 103
Maréchal E, see Judas D, et al. 13
Maréchal E, see Rao BS, et al. 153
Maturana HA, see Rivas BL, et al. 299, 305
Meier H, Albrecht W, Hanack M, Koch J: Photoconductivity of polymeric dibenz[b,i]

1,4,8,11-tetraaza[14]annulenato(μ-pyrazin) iron(II) [fetaa(pyz)]$_n$ 75
Meijer JG, see Postema AR, et al. 1
Meissner J, see Linster JJ 187
Merle G, see Gerard JF, et al. 559
Mishra MK, Sar-Mishra B, Kennedy JP: New telechelic polymers and sequential copolymers by polyfunctional initiator-transfer agents (inifers). LI. Synthesis and characterization of anisole-terminated polyisobutylenes 47
Misra A, see Bhattacharya SK, et al. 465
Montel C, see Gerard JF, et al. 559
Monthéard J-P, Boinon B, Ainad-Tabet D, Pham QT: Preparation and characterization of polymethoxymethylstyrenes ^{1}H-^{13}C NMR studies 59
Moriyama Y, see Asami R, et al. 125
Morris RA, see Beddows CG, et al. 181
Nagarathinam R, Viswanathan S: Polymaleamidehydrazides. Synthesis by ring-opening polyaddition of N,N'-bisisomaleimide with diamines 147
Napoletano C, see Furlani A, et al. 311
Nishide H, see Hyun SH, et al. 395
Noble O, Perez S, Rochas C, Taravel F: Optical rotation of branched polysaccharides. The galactomannan case 175
Ogawa T, see Burillo G 275
Oikawa E, Jindai K: Reverse osmotic properties of the membranes prepared from the polycondensate of 2,5-pyridinedicarboxylic acid chloride and malonyl dihydrazide 351
Oku J, Chan RJH, Hall HK, Jr, Hughes OR: Synthesis of a poly(vinylidene fluoride) macromer 481
Okubo T, see Kitano H, et al. 89
Otsu T, Tazaki T: Living radical polymerization in homogeneous system with phenylazotriphenylmethane as a thermal iniferter 277
Parker AA, Piirma I: Synthesis of poly(vinyl alcohol-g-4-vinylpyridine hydrochloride) for application as a surfactant in emulsion polymerization of methyl methacrylate 55
Parra, ML, see Bartulín J, et al. 293
Păstrăvanu M, see Simionescu CI, et al. 235
Peacock AJ, see Mandelkern L 529
Pennings AJ, Hooft RJ van der, Postema AR, Hoogsteen W, Brinke G ten: High-speed gelspinning of ultra-high molecular weight polyethylene 167
Pennings AJ, see Postema AR, et al. 1
Peppas NA, see Klier J 359
Peppas NA, Lucht LM: Macromolecular structure of coals. X. Thermodynamic interaction parameter for solvents and coal networks 375
Peppas NA, Urdahl KG: Anomalous penetrant transport in glassy polymers. VII. Overshoots in cyclohexane uptake in crosslinked polystyrene 201
Percec V, see Epple U, et al. 137
Percec V, see Pugh C 513, 521
Perez S, see Noble O, et al. 175
Perich IM, see Rivas BL, et al. 299, 305
Perret P, see Gerard JF, et al. 559
Pham QT, see Monthéard J-P, et al. 59
Pierri E, see Dondos A 567
Pigłowski J, Kressler J, Kammer HW: Phase dissolution in polymer blends - Estimation of diffusion coefficients and the associated activation energy 493
Piirma I, see Parker AA 55
Pillot C, see Gerard JF, et al. 559
Pixa R, Grisoni B, Gay T, Froelich D: Influence of deformation on physical aging of polycarbonate. 2. Volume recovery near ambient temperature 381
Plêtrasanta Y, see Boutevin B, et al. 391
Policastro PP, Hernandez K: Synthesis of new polydimethylsiloxane-ε-caprolactam block copolymers 43
Popa M, see Simionescu CI, et al. 319
Popov AN, see Chalych AYe, et al. 215
Popova YeD, see Chalych AYe, et al. 215
Postema AR, Doornkamp AT, Meijer JG, Vlekkert H vd, Pennings AJ: Effect of chlorosulfonation of ultra-high strength polyethylene fibres on mechanical properties and bonding with gypsum plaster 1
Postema AR, see Pennings AJ, et al. 167
Přádný M, Kminek I, Ševčík S: The potentiometric behaviour of copolymers of methacrylic acid in water-ethanol solutions 195
Prud'homme RE, see Leclerc M 7
Pugh C, Percec V: Functional polymers and sequential copolymers by phase transfer catalysis. 29. Synthesis of thermotropic sidechain liquid crystalline polymers containing a poly(2,6-dimethyl-1,4-phenylene oxide) main chain 513
Pugh C, Percec V: Functional polymers and sequential copolymers by phase transfer catalysis. 30. Synthesis of liquid crystalline poly(epichlorohydrin) and copolymers 521
Quéginer G, see Tintillier P, et al. 331
Rao BS, Madec PJ, Maréchal E: Synthesis of vinyl ester resins. Evidence of secondary reactions by ^{13}C NMR 153
Ravenstijn J, see Maes D, et al. 363
Righettini RF, see Hall HK, Jr 405
Rivas BL, see Bartulín J, et al. 293
Rivas BL, Maturana HA, Angne U, Catalán RE, Perich IM: Resins with retention properties for heavy metals. Part 4 305
Rivas BL, Maturana HA, Bartulín J, Catalán RE, Perich IM: Polyethyleneimine supports for for resins with retention properties for heavy metals. Part 3 299
Rochas C, see Noble O, et al. 175
Rousseau A, see Boutevin B, et al. 391
Russo MV, see Furlani A, et al. 311
Saegusa T, see Kobayashi S, et al. 269
Sar-Mishra B, see Mishra MK, et al. 47
Sawamoto M, Enoki T, Higashimura T: End-functionalized polymers by living cationic polymerization. 2. Vinyl ether macromers with a poly(vinyl ether) backbone 117
Schneider HA, see Epple U, et al. 137
Sedlák K, see Lath D, et al. 453
Ševčík S, see Přádný M, et al. 195
Simionescu CI, Comăniță E, Păstrăvanu M, Druță I: Azo peroxide initiators. Synthesis and characterization of ω-[4-(t-butylazo)-4-cyanovaleryl]-O'-acetyl peroxide 235
Simionescu CI, Dumitriu S, Popa M, Dumitriu M: Bioactive polymers. XLII. Coupling of ampicilline on (chlorocarbonylmethyl)cellulose 319
Sone Y, see Tsubokawa N, et al. 249
Spanggaard H, see Kops J 504
Stein RS, see Bhattacharya SK, et al. 465
Štěpánek P, Koňák Č, Jakeš J: Quasielastic light scattering from semidilute solutions in Θ-solvent: Distribution functions of decay times 67
Strumia MC, Bertorello HE: Crosslinking of heat-curable polybutadiene resins containing pendant acetylenic groups 35
Suess M, Kressler J, Kammer HW, Heinemann K:

Phase behavior of poly(methylmethacrylate) and poly(α-methylstyrene-co-acrylonitrile)-PMMA/MSAN-blends 371
Takaki M, see Asami R, et al. 125
Taravel F, see Noble O, et al. 175
Tazaki T, see Otsu T 277
Tintillier P, Dupas G, Bourguignon J, Quéguiner G: A new support for anchorage of 1,4-dihydronicotinamide 331
Tsubokawa N, Jian Y, Yamada A, Sone Y: Cationic grafting from carbon black. V. Grafting of polyesters from carbon black by ring-opening copolymerization of tetrahydrofuran and cyclic acid anhydride initiated by acylium perchlorate group on carbon black 249
Tsuchida E, see Hyun SH, et al. 395
Tsutsumi D, see Inagaki N 131
Tüdős F, see Iring M, et al. 159
Urdahl KG, see Peppas NA 201
Vancso G: Molar mass dependence of hydrodynamic friction of polystyrene molecules in theta solution in cyclohexane as revealed by photon correlation spectroscopy and sedimentation data 551
Viswanathan S, see Nagarathinam R 147
Vlekkert H vd, see Postema AR, et al. 1
Williams DJ, see Leung L, et al. 457
Willson CG, see Labadie JW, et al. 427
Winter HH, see Katsaros JD, et al. 83
Wu HH, see Cowie JMG 327
Yamada A, see Tsubokawa N, et al. 249
Yamasaki Y, see Ito K, et al. 337
Yukawa Y, see Ito K, et al. 337
Yokoyama S, see Ito K, et al. 337, 345
Zsuga M, Kelen T: Living cationic polymerization initiated by phosgene 285
Zunza H, see Bartulin J, et al. 293

Subject Index Volume 16 (1986)

Acrylates, chiral alpha-substituted 411
Acrylonitrile, radical polymerization 209
Acrylonitrile reactivity 209
Analysis 441, 445
Anisole 47
Aromatic amines 143
Aromatic polybenzimidazoles 457
Aromatic polyimides 457
Aromatic structures 35
Autocorrelation functions, composite 67

Benzimidazole 457
Benzopinacole 95
2-Benzoyloxythethyl vinyl ether 117
Biological systems, kinetic analysis 89
Biopolymers 89, 175, 181
N,N'-Bisisomaleimide 147
-, ring-opening polyaddition 147
Blends, miscible 457
-, poly(styrene-co-acrylonitrile)/poly(methylmethacrylate) 493
n-Butylacrylate 137

Carbazoles 419
Carbocyclic compounds 419
Carbohydrates 175
Cationic polymerization 117
Cationic ring-opening polymerization 401
Cellulose nitrate structure, transformations 215
"Charge transfer" complex (CTC) 137
Chelate polymers 103
Chlorosulfonation 1
Cibacron blue F3GA 181
13CNMR 445
Co(II) 473
Composite materials, carbon/epoxy 559
--, glass/epoxy 559
Conductance stopped-flow 89
Coordination polymers 103
Copolymerization 137, 405, 481
-, free radical 405
Copolymers 195, 405
-, sequential 521
-, syndiotactic methacrylic anhydride-methacrylic acid 487
Crystals, liquid 411
CSF 89
Cyclic alkenes 401
Cyclic sulfides 401
Cycloaddition 35
Cyclohexane uptake overshoot 201
Cyclopropanes 401

Decay times 67
Diamines 147
4,4'-Diaminodiphenylether 143
Dibenz(b,i)1,4,8,11-tetraaza(14)annulenato (μ-pyrazin)iron(II)(Fetaa(pyz))n, photoconductivity 75
Different linear polyethylenes (HOPE) 187
Diffusion coefficient 493
-, translational 551
4,4'-Difluorodiphenyl sulfone 27
Difunctional initiators 95
Dimethylformamide 143
2,6-Dimethylphenol, oxidatively polymerized 395
Dugdale model 545

Electron acceptor 137
Electron donor 137
Electrophilic monomers 405
End-functionalized polymers 117
Enzyme-inhibitor systems 89
Equilibrium structure 215
Ethylene chlorophosphite 143
Ethylenes, electrophilic trisubstituted 405
Extensional flow-induced miscibility 83

Finite element method 545
Free radical initiators 95
Free radical polymerization 95
Free radical reactions 19

Galactomannan 175
Gel-spinning, high-speed 167
Grafting 499
Group transfer polymerization 125
Gypsum plaster 1

Hapten-antibody 89
High performance polymer blends 457
Homopolymerization 481
β-(Hydroxyethyl)-3,5-dinitrobenzoyl acrylate 137
N-(2-Hydroxyethyl)carbazolyl acrylate 137

Initiators 95
Internal mode studies 529
Intramolecular association 537
Isophthalic dichloride 103
Isotherms 215

Kanig's technique 1

LDPE, 13C NMR 445
LDPE oxidation, reaction conditions 159
Lignin 433
Linear polyethylene, melts 187
Liquid crystalline polymer, kinetics of phase transition 465
Liquid crystals, thermotropic 507, 513, 521
Living cationic polymerization 117
Living polymerization 125
Living polymers 117

MAA/methyl methacrylate 195
MAA/MMA 195
MAA polymerization, initiation 109
MAA, potentiometric properties 195
MAA/styrene 195
Macromers 125
Maleic anhydride in copolymers 441
Maleic anhydride-vinyl acetate copolymers 441
Melt elongation of PE 187
3d-Metal(II) 473
Methacrylamide 109
Methacrylate-terminated polystyrene macromer 125
Methacrylic acid copolymers 195
Methacrylonitrile, radical polymerization 209
Methacrylonitrile reactivity 209
Methyl methacrylate, emulsion polymerization 55
N-Methylpyrrolidone 143
alpha-Methylstyrene, oligomers 19
Microlithographic applications 427
Miscibility 83
Monomers, liquid crystalline 411

Oligosaccharides 175
Optical fibres 391
Optical rotation measurements, polysaccharides 175
Organolithium intermediates 27
Organotin polymers 427
Oxidative polymerization of phenols 395
Oxocarbons 419

Passive optical components 391
PE, low-density 159
-, melt elongation 187
PE(linear), melt elongation 187
-, structure 187
Phase dissolution, isothermal 493
Phase equilibria 215
Phase transition 465
Phenols, oxidative polymerization 395
-, trimethylsilyl groups 395
Photoconductivity 75
Phthalimide 457
Physical properties 67, 75, 187, 195, 201, 209, 215, 453, 457, 465, 473
Plasma-polymers 131
Plasma-polymerization 131
PMMA 55
PNVC 473
Polyacetylene 7
-, isomerization and doping 7
Polyacrylamide 537
Polyacrylonitrile radical, reactivity 209
Polyaddition 147
Poly(alkylnylstannanes) 427
Polybenzimidazoles, aromatic 457
Polybutadiene resins, crosslinking 35

Poly(t-butyl-acetylene) 7
-, iodine doping 7
Polycarbonates 391
Polycondensation 103, 143
Poly(cyclohexyl methacrylate), unperturbed dimensions 453
Poly(2,6-dimethyl-1,4-phenylene oxide) 513
Polydimethylsiloxane, anhydride-terminated 43
Polydimethylsiloxane-eta-caprolactam-polymers 43
Poly(epichlorohydrin) 521
Polyester 13
Polyester resins, magnesium carbocylate 13
--, thickened 13,
Polyethers 507
Polyethylene 1, 167
-, and gypsum plaster 1
-, chlorosulfonated 1
-, 13CNMR 445
-, crystals 529
-, linear 187
-, low density 499
-, SEM 1
-, super-strong fibers 167
-, ultra-high molecular weight 167
Polyethylene branching 445
Poly(ethylene)graft copolymers 181
Polyethylene oxidation 159
Polyimides, aromatic 457
Polyisobutylenes, anisole-terminated 47
Polymaleamidehydrazides 147
Polymer blends 83
--, high performance, miscible 457
Polymerization 95, 103, 109, 125, 131, 391, 401, 473
-, "charge transfer" 137
Polymerization/grafting 499
Polymers, chiral smectic 411
-, dipole moment 567
-, functional 521
-, glassy 201
-, incompatibility 567
-, liquid crystalline 411, 465
-, new telechelic 47
-, semiconductive 433
-, side chain 411
-, special 411, 419, 427, 433
Polymethacrylonitrile radical, reactivity 209
Polymethoxymethylstyrenes 59
Polymethylmethacrylate 545
Polysaccharides, branched 175
-, optical activity 175
Polystyrene 551
-, crosslinked 201
-, cyclohexane uptake 201
-, divenyl benzene(DVB)-crosslinked 201
-, semidilute solutions 67
Polythioureas, aromatic 143
Polyureas, aromatic 143
Poly(vinyl alcohol-g-4-vinylpyridine hydrochloride) 55
Poly(N-vinylcarbazole), solubility characteristics 473
Poly(vinylcarbonates), fluorinated, chlorinated 391
Poly(vinyl ether) 117
Poly(vinylidene fluoride), methacrylate--type 481
Potassium persulphate-malonic acid 109
Potentiometric properties 195
F-Propene/acetylene 131
F-Propene/ethylene 131
Protein retention, cibacron blue-nylon 185
Protein separation, cibacron blue-nylon 181
Proteins, complexations 89
Pyun-Fixman theory 551

Quasielastic light scattering 67

Radical initiators 95
Radical polymerization 209
Raman LAM studies 529
Reactions 19, 27, 35, 159
Resins, acetylenic groups 35
Resist materials 427
Resorcylaldehyde-o-phenylendiamine 103
Ring-opening polymerization 401

Semiconductive polymer 433
Semidilute polymer systems 67
Side-chain polymers 411
Silyl pinacole ethers, cyclic 95
Solvent vapor sorption 215
Sorption-desorption isotherms 215
Squaric acid with N-alkylcarbazoles, polycondensation 419
Stability, thermooxidative 35
trans-Stilbene 209
Stress analysis 545
Structure 59
Structure transformations 215
Sulfur lignin 433
Surfactant, polycationic 55
Synthesis 43, 47, 55, 153

Tacticity 473
Terephthalic dichloride 1o3
Terminating agents 19
Tetraphenylethane initiators 19
6-Thiatricyclo(3.2.2.0-2.4-)non-8-ene 401
Thin-film process 131
Thioureas 143
Triphenyl phosphite 143
Trisubstituted ethylenes, electrophilic 405
Typolen FA2210 159

Ureas 143

N-Vinylcarbazole 473
Vinyl carbonates 391
Vinyl chloroformate 391
Vinyl comonomers, electron-rich 405
Vinyl ester resins, synthesis 153
Vinyl ethers end capping 117
Vinyl ether macromers 117
Viscoelastic properties 559
Viscosimetry 537

Indexed in *Current Contents*